



Microbial Laboratory Report

Client Information:

- **Client Name:** Certified Peptides
- **Contact Information:** jason@certified-pep.com

Sample Information:

- **Sample ID:** Tirzepatide 10mg Translucent Red Cap
- **Sample Type:** 3mL Lyophilized Vial
- **Date Received:** 08/11/2025
- **Date Read:** 08/14/2025

Testing Parameters:

1. **Bacterial Testing**
 - **Method:** Plate Count
 - **Results:** <10 CFU/100mL
 - **Comments:** 0 colony forming units (CFU) were detectable on 08/14/2025.
2. **Fungal Testing**
 - **Method:** Plate Count, Microscopy
 - **Results:** <10 CFU/100 mL
 - **Comments:** 0 colony forming units (CFU) were detectable on 08/14/2025.
3. **Endotoxin Testing**
 - **Method:** LAL Assay, Gel Clot Method
 - **Results:** <0.25 EU per mL
 - **Comments:** <0.10 EU per mL identified on 08/14/2025.

Summary of Findings:

- **Bacterial Contamination:** Bacterial levels within acceptable limits
- **Fungal Contamination:** Fungal levels within acceptable limits
- **Endotoxin Levels:** Endotoxin levels within acceptable limits

Lab Analyst Information:

- **Analyst Name:** Dane Fredericksen
- **Analyst Signature:** 
- **Date:** 08/14/2025

Verify Lab results by contacting support@foreveryoungpharmacy.com

